




Disc valve  
with decorative panel  
**VELA AP 125 RF**

2025





## AP 125 RF



White



Black



Antistatic modification



Wall and ceiling installation



Supply and extract air

### FEATURES



Aerodynamic shape



Air flow adjustment



Air flow direction is selectable



Easy installation and maintenance



Replacement filter FTP 125x3 Coarse 50% as an option

### PANELS



AP 125 RF-0




AP 125 RF-0 black



AP 125 RF-C





AP 125 RF-C black






### AERODYNAMIC DATA



### OVERALL DIMENSIONS [MM]

Model	AP 125 RF-0	AP 125 RF-C
Ø D	125	125
Ø D1	210	-
B	-	210
L	36	36
L1	39	39



	Equivalent cross-section [mm²]							
	Position 1	Position 2	Position 3	Position 4	Position 5	Position 6	Position 7	Completely open
Supply air	1517	2784	4338	5274	6231	7185	8099	9004
Extract air	1628	2728	3903	4969	5930	7360	8369	9974

	K-factor							
	Position 1	Position 2	Position 3	Position 4	Position 5	Position 6	Position 7	Completely open
Supply air	4,4	8,3	12,6	15,0	18,0	21,1	23,4	26,0
Extract air	4,8	8,1	11,4	14,5	17,4	20,6	23,2	28,2



**Disc valve with decorative panel  
VELA AP 125 RF**

**The catalogue information is for reference only.**

VENTS reserves the rights to modify any of its products' features, designs, components and specifications at any time and without notice to maintain the development and quality of manufactured goods.

**2025-03**

**[ventilation-system.com](http://ventilation-system.com)**

